





Specificatia materialelor de finisare a fataelor



Pozitia	Denumirea	Cantitate	Unitate de masura	Nota
1	Strat de adeziv pentru panourile termoizolante $\delta=3-4 \text{ mm}$	460,2	m^2	
2	Placi termoizolante din beton celular autoclavizat (B.C.A.) $\gamma=115 \text{ kg/m}^3 \delta=100 \text{ mm}$	417,5	m^2	
3	Plasa din fibra de sticla 5x5 mm	460,2	m^2	
4	Chituire (inclusiv si pervazurile)	460,2	m^2	
5	Grunduire	460,2	m^2	
6	Dibluri de fixare a placilor termoizolante $l=190 \text{ mm}$	1670	buc.	
7	Placi termoizolante din vata minerala $\gamma=135 \text{ kg/m}^3$, $\delta=20 \text{ mm}$	57,6	m^2	
8	Banda de etansare rezistenta la foc	288,0	m	



1. Plansa data se citeste cu pl.- 29.

OBIECTIV NR. - 31.10-D/17-SAC						
Reparatie capitala a blocurilor E si D (sectia internare) ai cladirii medico-sanitare existente; din str. Decebal, 101, mun. Balti						
Mod.	Can.	Foaia	Nr.d.	Semnat.	Data	
ASP	Postolachi				03.18	Reparatie capitala
ISP	Hihlat E.				03.18	
Elaborat	Ciobanu V.				03.18	
						Nod I, II, III; Specificatia materialelor de finisare a fataelor.
						SRL "GEO-CAD-PROJECT" mun. Balti

Nr inv. a orig.	Data si semnatura Nr inv. schim.
-----------------	----------------------------------