


Specificatia materialelor pentru acoperis

Pozitia	Denumirea	Cantitate	Unitate de masura	Nota
1	Covor hidroizolant ICOPAL Ultra Top (SRL "Compass")	1493,1	m ²	
2	Covor hidroizolant ICOPAL Ultra Base (SRL "Compass")	1493,1	m ²	
3	Amorsa bituminoasa pe baza de apa Dysperbit grunt (SRL "Compass")	2986,2	m ²	
4	Sapa de nivelare din mortar M150, δ=50mm	63,5	m ³	
5	Polisterol beton D200, γ=200kg/m ³ , δ=0mm-300mm	193,3	m ³	
6	Placi pentru izolare termica YTONG Multipor, γ=115,0kg/m ³ , δ=150mm	178,4	m ³	
7	Covor hidroizolant ICOPAL Base (SRL "Compass")	1415,4	m ²	
8	Racord conic (SRL "Compass")	10	buc.	
9	Colier din inox Ø110mm (lider.md)	10	buc.	
10	Aerator simplu pentru acoperis plat (SRL "Compass")	13	buc.	
11	Cheramzita	0,05	m ³	
12	Gura de scurgere "Sure Fix" Ø110mm (SRL "Compass")	4	buc.	
13	-50x5 l=360mm	315	buc.	222,26kg
14	Diblu Ø14mm, l=80mm cu fixare tripla cu surub Ø10mm, l=80mm cap hexagonal (lider.md)	1010	buc.	
15	Capac din tabla zincata δ=0,5mm L=440mm	156,5	m	68,86m ²
16	Capac din tabla zincata δ=0,5mm L=640mm	32,2	m	20,61m ²
17	-50x5 l=560mm	65	buc.	71,34kg
18	Diblu universal pentru montare rapida Ø8mm, l=160mm (lider.md)	207	buc.	
19	Saiba marita M8 inox (lider.md)	207	buc.	
20	Sort din tabla zincata δ=0,5mm L=200mm	70,0	m	14,0m ²
21	Diblu universal pentru montare rapida Ø8mm, l=80mm (lider.md)	4	buc.	
22	Gura de scurgere laterala Ø110mm (SRL "Compass")	1	buc.	
23	Tava de scurgere din tabla zincata Ø110mm	6,5	m	
24	Tabla cutata LK60 (lider.md)	8,4	m ²	
25	Lacramar din tabla zincata δ=0,5mm L=200mm	12,0	m	2,4m ²
26	-50x5 l=380mm	84	buc.	62,56kg
27	Capac din tabla zincata δ=0,5mm L=460mm	25,0	m	11,5m ²
28	Membrana hidroizolanta	13,0	m ²	
29	Termoizolant vata minerala, γ=65,0kg/m ³ , δ=100mm	65,0	m ²	
30	Tavan suspendat din ipsocarton δ=12,5mm	65,0	m ²	
Nr.inve.a orig	Data si semnatura	Nr.inve.schim.		



1. Plansa data se citeste cu pl.-16; 18; 19, 20, 21, 22, 23, 24.

							OBIECTIV NR. - 31.10-D/17-SAC		
Reparatie capitala a blocurilor E si D (sectia internare) ai cladirii medico-sanitare existente; din str. Decebal, 101, mun. Balti									
Mod.	Can.	Foaia	Nr.d.	Semnat.	Data				
ASP		Postolachi			03.18	Reparatie capitala			faza
ISP		Hihlat E.			03.18				plansa
Elaborat		Ciobanu V.			03.18				planse
						Specificatia materialelor pentru acoperis			PE
									25
						SRL "GEO-CAD-PROJECT" mun. Balti			